

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6438708".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:21
L2	0	"6438708".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:22
L3	19	"6266776".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:22
S1	26	("6522133" "6438708" "20010039612" "6266776" "6678831" "6098158" "20010016918" "6760850" "6721885" "6434696" "6249739" "6230274" "6636963").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:09
S2	13	("6522133" "6438708" "20010039612" "6266776" "6678831" "6098158" "20010016918" "6760850" "6721885" "6434696" "6249739" "6230274" "6636963").pn.	US-PGPUB; USPAT	OR	ON	2005/02/15 10:33
S3	2035	(transition\$4 or resum\$5 or restart\$4 or reboot\$4)near5 ((suspend or hibernat\$4 or suspend or sleep or (power near2 sav\$3))near3 (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:42
S4	13	S3 and ((quick\$3 or fast\$3 or speed\$4 or ((less or small\$3)near2 time))with (reboot\$4 ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:23
S5	1	((quick\$3 or fast\$3 or speed\$4 or ((less or small\$3)near2 time))with (reboot\$4 ))same "S3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:41

S6	0	((quick\$3 or fast\$3 or speed\$4 or ((less or small\$3)near2 time))with (reboot\$4 with ("S3" adj2 state)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:42
S7	2320	(transition\$4 or resum\$5 or restart\$4 or reboot\$4)near5 ((suspend or hibernat\$4 or suspend or sleep or (power near2 sav\$3 or "s3"))near3 (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:43
S8	4	S7 and (disabl\$4 near3 input/output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:22
S9	8	aklllu.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:20
S10	24	(wak\$4 or resum\$5 or restart\$4)near5 (suspend near4 (memory near2 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:22
S11	29	(wak\$4 or resum\$5 or restart\$4)near5 ((sleep or suspend) near4 (memory near2 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:21
S12	1	S11 and (disabl\$4 near3 input/output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:22
S13	0	S11 and ((quick\$3 or fast\$3 or speed\$4 or ((less or small\$3)near2 time))with (reboot\$4 ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:23

S14	2	"6691234".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:32
S15	23	(restor\$4 or resum\$5 or restat\$4)near6 (((suspend or sleep)near2 (memory adj2 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:53
S16	2035	(transition\$4 or resum\$5 or restart\$4 or reboot\$4)near5 (((suspend or hibernat\$4 or suspend or sleep or (power near2 sav\$3))near3 (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:51
S17	81	boot\$4 near4 (((power\$4 near2 down)or sleep or S16)near4 (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:51
S18	70	((low\$3 or reduc\$5 or minim\$5 or optimiz\$5)near5 latenc\$3)with (reboot\$4 or resum\$5 or restart\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:53
S19	0	S18 same((suspend or sleep)near2 (memory adj2 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:54
S20	9	S18 same((suspend or sleep or memory) adj5 (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:55